

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

DIP DISPOSAL

Unused or spent dip should be disposed of carefully to avoid contamination of streams, rivers or waterways. Dispose of dip by pouring evenly into a lined disposal pit, specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Alternatively, spray onto grassed areas where runoff to waterways, leaching to ground water or grazing by animals will not occur.

SAFETY DIRECTIONS

WARNING: Contains carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with carbendazim.

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour or spray mist. When opening the container, preparing the spray solution and using the prepared solution, wear cotton overalls buttoned to the neck and wrists and washable hat, elbow-length PVC gloves and a half face-piece respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CARAZIM 500

FUNGICIDE

ACTIVE CONSTITUENT : 500 g/L CARBENDAZIM

GROUP **1** FUNGICIDE

A broad spectrum, systemic fungicide for the control of fungal diseases in various crops as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

CONTENTS:

1 Litre APVMA Approval No. 64490/1L/1009

Hexlar

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS), which is available from the supplier.

NOTICE TO BUYER

The use of Carazim 500 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport
Emergency Dial
000
Police or Fire Brigade



Batch No.:

Date of Manufacture:



9555497505145

HEXTAR CHEMICALS PTY. LTD ACN No.: 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

CARAZIM 500
FUNGICIDE

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

DIP DISPOSAL

Unused or spent dip should be disposed of carefully to avoid contamination of streams, rivers or waterways. Dispose of dip by pouring evenly into a limed disposal pit, specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Alternatively, spray onto grassed areas where runoff to waterways, leaching to ground water or grazing by animals will not occur.

SAFETY DIRECTIONS

WARNING: Contains carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with carbendazim.

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour or spray mist. When opening the container, preparing the spray solution and using the prepared solution, wear cotton overalls buttoned to the neck and wrists and washable hat, elbow-length PVC gloves and a half face-piece respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS), which is available from the supplier.

NOTICE TO BUYER

The use of Carazim 500 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport
Emergency Dial
000
Police or Fire Brigade



HEXTAR CHEMICALS PTY. LTD.

ACN NO.: 114 525 709
Suite 218b, Site One,
757 Bourke Street,
Docklands, VIC 3008.
Telephone: (03) 8687 9509
Fax: (03) 8687 9078



9555497505152

Batch No.:

Date of Manufacture:

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CARAZIM 500

FUNGICIDE

ACTIVE CONSTITUENT : 500 g/L CARBENDAZIM

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of fungal diseases in various crops as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

CONTENTS:

5 Litres

APVMA Approval No. 64490/5L/1009

hexlar

HEXFAR-CHEMICALS PTY. LTD ACN No.: 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

CARAZIM 500

FUNGICIDE

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

DIP DISPOSAL

Unused or spent dip should be disposed of carefully to avoid contamination of streams, rivers or waterways. Dispose of dip by pouring evenly into a limed disposal pit, specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Alternatively, spray onto grassed areas where runoff to waterways, leaching to ground water or grazing by animals will not occur.

SAFETY DIRECTIONS

WARNING: Contains carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with carbendazim.

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour or spray mist. When opening the container, preparing the spray solution and using the prepared solution, wear cotton overalls buttoned to the neck and wrists and washable hat, elbow-length PVC gloves and a half face-piece respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS), which is available from the supplier.

NOTICE TO BUYER

The use of Carazim 500 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport
Emergency Dial
000
Police or Fire Brigade



HEXTAR CHEMICALS PTY. LTD.

ACN NO.: 114 525 709

Suite 218b, Site One,
757 Bourke Street,
Docklands, VIC 3008.

Telephone: (03) 8687 9509

Fax: (03) 8687 9078



9555497505169

Batch No.:

Date of Manufacture:

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CARAZIM 500

FUNGICIDE

ACTIVE CONSTITUENT : 500 g/L CARBENDAZIM

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of fungal diseases in various crops as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

CONTENTS:

20 Litres

APVMA Approval No. 64490/20L/1009

Hextar

HEXTAR CHEMICALS PTY. LTD ACN No.: 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CARAZIM 500 FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L CARBENDAZIM

GROUP 1 FUNGICIDE

A broad spectrum, systemic fungicide for the control of fungal disease in various crops as per the Directions for Use table.

IMPORTANT: READ THIS LEAFLET BEFORE USE



HEXTAR CHEMICALS PTY. LTD. (ACN No.: 114 525 709)
Suite 218b, Site One, 757 Bourke Street,
Docklands, VIC 3008.
Telephone: (03) 8687 9509 Fax: (03) 8687 9078

APVMA Approval No.: 64490/1009

DIRECTIONS FOR USE

Restraint
DO NOT apply to turf, grapes, cucurbits (including melons), citrus fruit, custard apple, mango, pome fruit (apples or pears) or stone fruit (including cherries).

1. POST-HARVEST DIPPING

Crops	Disease	State	Rate	WHP	Critical Comments
Bananas	Crown rot (<i>Colletotrichum musae</i>)	Qld, NSW, WA only	40mL/ 100L water	-	Submerge fruit approximately 30 seconds. This use is subject to a CropLife Resistance Management Strategy: Refer to Resistance Management Strategy under General Instructions.

2. PRE-PLANTING

Crops	Disease	State	Rate	WHP	Critical Comments
Ginger seed pieces	Rhizome/seed piece rot (<i>Fusarium spp.</i>)	Qld, WA only	200mL/100L	-	Cut seed pieces to desired length from rhizomes free of rot. Submerge for 5 minutes and allow to dry before planting.
Sugar cane	Pineapple disease (<i>Ceratixis paradoxa</i>)	Qld, NSW only	65mL/100L	-	Apply to cut seed pieces as a dip or spray so as to obtain thorough wetting. After dipping allow to drain. When replenishing dip, top up to 65mL Carazim 500 Fungicide in 100L water.

3. FRUIT & VEGETABLES AND OTHER CROPS & SITUATIONS

Crops	Disease	State	Rate	WHP	Critical Comments
Pasture Red clover, Subterranean clover	Clover scorch (<i>Kabatitella caulivora</i>)	Vic, Tas, SA, WA only	300 or 550mL/ha plus 1L summer spray oil in 100L water	14 days	Apply at 'closing-up' of pasture in a minimum spray volume of 150L/ha. Repeat 30 days later if there is a build up of disease. Use the higher rate if disease is well established at 'closing-up', repeat at this rate 30 days later if disease continues to develop.
	Cercospora (<i>Cercospora zebrina</i>)	WA only			
Roses	Powdery Mildew (<i>Oidium spp.</i>)	All States	25mL plus 1L oil (98-99% summer oil) per 100L water	-	Begin application when disease first appears and repeat at 7 to 14 day intervals throughout the growing season. Shorten intervals during humid weather.
	Black spot (<i>Diplocarpon rosae</i>)		50mL/100L water		
Strawberries	Grey mould (<i>Botrytis cinerea</i>)	NSW, Vic, Tas, SA, WA only	40 to 50mL/ 100L water	2 days	Begin application when disease first appears or at flowering and repeat at 7 to 14 day intervals. Use the higher rate and shorter intervals when disease pressure is high. This use is subject to a CropLife Resistance Management Strategy: Refer to Resistance Management Strategy under General Instructions.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:

STRAWBERRIES – DO NOT HARVEST FOR 2 DAYS AFTER APPLICATION.
PASTURE – DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 14 DAYS AFTER APPLICATION.
POST HARVEST DIPS BANANAS – NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

MIXING/APPLICATION

SHAKE WELL BEFORE USE. Carazim 500 Fungicide is a liquid suspension to be mixed with water for application as a spray or dip. Add the required quantity of Carazim 500 Fungicide to a partly filled spray tank and agitate. Complete filling while agitating. In the event of a stoppage during spraying, ensure the spray mixture is properly agitated before spraying recommences.

ADDITION OF WETTING AGENT

The addition of a wetting agent e.g. Activator Surfactant to spray mixture improves the distribution of the spray on hard to wet plants.

FUNGICIDE RESISTANCE WARNING

GROUP 1 FUNGICIDE

Carazim 500 Fungicide is a member of the benzimidazole group of fungicides. For fungicide resistance management Carazim 500 Fungicide is a Group 1 fungicide. Some naturally occurring fungal populations resistant to Carazim 500 Fungicide and other Group 1 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Carazim 500 Fungicide and other Group 1 Fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Hextar Chemicals Pty. Ltd. accepts no liability for any losses that may result from the failure of Carazim 500 Fungicide to control resistant fungi. Refer to specific CropLife Resistance Management Strategies, below.

Grey Mould (botrytis) of Strawberries – Resistance Management Strategy

- Apply a program of protectant fungicides during flowering. If conditions favour disease development during this period use a Group 1, Group B, Group I or a Group J fungicide.
- DO NOT apply more than two successive sprays of Group 1, B, I or J fungicides.
- Always apply Group 1 fungicides in a tank mix with a protectant.
- If three or fewer botrytis fungicide sprays are applied per crop, use only one spray containing Group I fungicides. If seven or more sprays are applied per crop use a maximum of three sprays containing Group I fungicides.

Post-Harvest Dipping of Bananas – Resistance Management Strategy

- For the last pre-harvest spray, use a fungicide with a different mode of action to the fungicide planned for use as a post-harvest treatment.
- Where alternatives are available, rotate to use as many different modes as action as possible.

EXPORT OF TREATED PRODUCE

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Carazim 500 Fungicide. If you are growing produce for export, please check with Hextar Chemicals Pty. Ltd. for the latest information on MRLs and import tolerances BEFORE using Carazim 500 Fungicide.

COMPATIBILITY

Carazim 500 Fungicide is compatible with many insecticides and fungicides, however to be sure of compatibility with any particular product check with your local dealer first.

PROTECTION OF LIVESTOCK

Carazim 500 Fungicide is of low toxicity to bees.

DIP DISPOSAL

Unused or spent dip should be disposed of carefully to avoid contamination of streams, rivers or waterways. Dispose of dip by pouring evenly into a limed disposal pit, specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Alternatively, spray onto grassed areas where runoff to waterways, leaching to ground water or grazing by animals will not occur.

SAFETY DIRECTIONS

WARNING: Contains carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with carbendazim.

Harmful if inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour or spray mist. When opening the container, preparing the spray solution and using the prepared solution, wear cotton overalls buttoned to the neck and wrists and washable hat, elbow-length PVC gloves and a half face-piece respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID


If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS), which is available from the supplier.

NOTICE TO BUYER TO BUYER

The use of Carazim 500 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.



HEXTAR CHEMICALS PTY. LTD. (ACN No.: 114 525 709)
Suite 218b, Site One, 757 Bourke Street,
Docklands, VIC 3008.
Telephone: (03) 8687 9509 Fax: (03) 8687 9078

APVMA Approval No. 64490/1009

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, rivers or waterways with the chemical or used containers.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment that may cause spray or drift onto nearby susceptible plants/crops, cropping lands or pastures.

PRECAUTION

Keep away from foodstuffs.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray deposits have dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist and elbow-length PVC gloves. Clothing must be laundered after each day's use. For glasshouse and other confined areas, DO NOT re-enter until spray deposits have dried and area has been thoroughly ventilated.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Name of File:
64490_48487_leaflet_MPL_V2.pdf

Dimensions:
36 cm (W) x 46.2 cm (H)

Scale of Print:
A4 55%
A3 80%