

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ARMADA 720 SL HERBICIDE

ACTIVE CONSTITUENT : 720g/L MSMA

GROUP Z HERBICIDE

For the control of certain weeds in Cotton, Sugarcane,
Turf and non-crop areas as per the Directions for Use.

**IMPORTANT: READ THE LABEL AND ATTACHED LEAFLET
BEFORE OPENING OR USING THIS PRODUCT**

CONTENTS: 5 Litres

APVMA Approval No.: 65558/51286

Hexstar

HEXTAR CHEMICALS PTY. LTD ABN 11 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seeds and fertilizers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, puncture or crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID


If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS) which is available from the supplier.

NOTICE TO BUYER

The use of ARMADA 720 SL Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.



Batch No.:

Date of Manufacture:



DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ARMADA 720 SL
HERBICIDE

ACTIVE CONSTITUENT : 720 g/L MSMA

GROUP Z HERBICIDE

For the control of certain weeds in Cotton, Sugarcane,
Turf and non-crop areas as per the Directions for Use.

**IMPORTANT: READ THE LABEL AND ATTACHED LEAFLET
BEFORE OPENING OR USING THIS PRODUCT**

CONTENTS: 10 Litres

APVMA Approval No.: 65558/51286

Hexar

HEXTAR CHEMICALS PTY. LTD ABN 11 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seeds and fertilizers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, puncture or crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID


If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS) which is available from the supplier.

NOTICE TO BUYER

The use of ARMADA 720 SL Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.



Batch No.:

Date of Manufacture:



DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ARMADA 720 SL
HERBICIDE

ACTIVE CONSTITUENT : 720 g/L MSMA

GROUP Z HERBICIDE

For the control of certain weeds in Cotton, Sugarcane,
Turf and non-crop areas as per the Directions for Use.

**IMPORTANT: READ THE LABEL AND ATTACHED LEAFLET
BEFORE OPENING OR USING THIS PRODUCT**

CONTENTS: 20 Litres

APVMA Approval No.: 65558/51286

Hexar

HEXTAR CHEMICALS PTY. LTD ABN 11 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seeds and fertilizers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, puncture or crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID


If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS) which is available from the supplier.

NOTICE TO BUYER

The use of ARMADA 720 SL Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.



Batch No.:

Date of Manufacture:



DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ARMADA 720 SL
HERBICIDE

ACTIVE CONSTITUENT : 720 g/L MSMA

GROUP Z HERBICIDE

For the control of certain weeds in Cotton, Sugarcane,
Turf and non-crop areas as per the Directions for Use.

**IMPORTANT: READ THE LABEL AND ATTACHED LEAFLET
BEFORE OPENING OR USING THIS PRODUCT**

CONTENTS: 200 Litres

APVMA Approval No.: 65558/51286

Hexar

HEXTAR CHEMICALS PTY. LTD ABN 11 114 525 709

Suite 218b, Site One, 757 Bourke Street, Docklands, VIC 3008. Telephone: (03) 8687 9509 Fax: (03) 8687 9078

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seeds and fertilizers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, puncture or crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID


If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS) which is available from the supplier.

NOTICE TO BUYER

The use of ARMADA 720 SL Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.



Batch No.:

Date of Manufacture:

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ARMADA 720 SL

HERBICIDE

ACTIVE CONSTITUENT: 720 g/L MSMA

GROUP **Z** HERBICIDE

For the control of certain weeds in Cotton, Sugarcane, Turf and non-crop areas as per the Directions for Use.

IMPORTANT: READ THIS LEAFLET BEFORE USE



HEXTAR CHEMICALS PTY. LTD. (ABN 11 114 525 709)
 Suite 218b, Site One, 757 Bourke Street,
 Docklands, VIC 3008.
 Telephone: (03) 8687 9509 Fax: (03) 8687 9078

APVMA Approval No.: 65558/51286

GENERAL INSTRUCTIONS

The use of a surfactant with this product is generally not required except where specified in the directions for use. For best results, apply under hot, dry conditions when air temperatures exceed 25°C. As spray is absorbed mainly through the foliage, thorough spray coverage of weeds is essential. Weeds should begin to yellow within 10 days of application.

MIXING

This product readily mixes with water. Half fill spray tank then add product with agitation. Fill tank.

CLEAN UP

Clean equipment by thoroughly washing with water.

PROTECTION OF CROPS, NATIVE AND OTHER NON – TARGET PLANTS

DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray drift onto nearby susceptible plants, adjacent crops, crop land or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Dangerous to fish. DO NOT contaminate dams, rivers, drains or streams with chemical or used container.

RESISTANT WEEDS WARNING

GROUP **Z** HERBICIDE

ARMADA 720 SL Herbicide is a member of the Organoarsenicals group of herbicides. The product has an unknown and probably diverse mode of action. For weed resistance management, the product is a Group Z Herbicide.

Some naturally occurring weed biotypes resistant to the product and other Group Z Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other Group Z Herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Hextar Chemicals Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant weeds.

STORAGE AND DISPOSAL

Store in a locked room or place away from children, animals, food, feedstuff, seeds and fertilizers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, puncture or crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for the purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia: 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS) which is available from the supplier.

NOTICE TO BUYER

The use of ARMADA 720 SL Herbicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Hextar Chemicals Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Hextar Chemicals Pty. Ltd. accepts no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport
 Emergency Dial
000
 Police or Fire



HEXTAR CHEMICALS PTY. LTD. (ABN 11 114 525 709)
 Suite 218b, Site One, 757 Bourke Street,
 Docklands, VIC 3008.
 Telephone: (03) 8687 9509 Fax: (03) 8687 9078

APVMA Approval No. 65558/51286

DIRECTIONS FOR USE

Restrictions:

DO NOT cut, mow or cultivate treated areas that have been sprayed for at least 14 days as this may reduce herbicide action.
 DO NOT spray if rain is expected within 6 hours.

CROP	WEEDS	STATE	RATE	CRITICAL COMMENTS
Cotton	Bathurst Burr Columbus Grass Johnson Grass Noogoora Burr Nut Grass Paspalum	QLD, NSW & WA only	GROUND APPLICATION BROADCAST: 3.1 litres/ha in 330 litres of water. BAND: 0.94 litres in 125 litres of water per sprayed hectare (for 30cm wide rows).	Spray young actively growing weeds under dry, hot conditions when air temperatures are above 21°C. DO NOT apply more than twice in one season. Where possible, direct spray to base of cotton plant. For non directed and aerial sprays, a red discolouration and slight burning may occur. DO NOT apply on windy days. Commence spraying when cotton is 7 – 8 cm high and before first bloom. DO NOT spray after first bloom. Repeat 3 weeks later if necessary.
	Barnyard Grass Pig Weed Spiny Burr Grass Summer Grass Yellow Vine	QLD & NSW only	AERIAL SPRAYING: 3.1 litres/ha in 25 – 80 litres of water.	
Sugar Cane	Barnyard Grass Crab grass/ Summergrass Green Summergrass Itch Grass	QLD only	SPOT SPRAYING: 1.1 litres per 100 litres of water. Add a non – ionic wetting agent.	Apply as a directed spray avoiding contact with sugar cane foliage as far as possible. Spray when sugar cane is 50 – 80 cm high. Add a non – ionic wetting agent to improve the activity of this product. Whenever sugar cane is sprayed directly with product, some visual damage may occur. Some sugar cane varieties are sensitive to herbicide spray damage and full cover spraying of these varieties may result in unacceptable crop phytotoxicity. Local varietal responses should be confirmed before using this product. Apply as a directed spray minimising contact with sugar cane foliage. Spray when cane is 50 – 80 cm high. Add a non – ionic wetting agent to improve the activity of this product. Best results are achieved if weeds are at the seedling stage and stools are small. Use sufficient spray volume to thoroughly wet weeds. Use higher volumes when weeds are large. Whenever sugar cane is sprayed directly with product, some visual damage may occur. Some sugar cane varieties are sensitive to herbicide spray damage and full cover spraying of these varieties may result in unacceptable crop phytotoxicity. Local varietal responses should be confirmed before using this product.
	Vasey Grass or Giant Paspalum	QLD & NSW only	6.6 litres/ha in a minimum of 300 litres of water. SPOT SPRAYING: 1.1 litres in 100 litres of water. Add a non – ionic wetting agent.	
Non – crop areas, Roadsides, Fencelines & Storage areas	Bathurst Burr Noogoora Burr Paspalum Johnson Grass Nut Grass Spiny Burr Grass Most Summergrasses	NSW, QLD, WA, VIC & SA only	11 – 13.3 litres/ha in 500 litres of water for boom application or 1.1 litres per 100 litres of water for spot spraying.	Use lower rate for seedling weeds. Repeat 3 – 4 weeks later on established perennial weeds.
Control of Prickly Pear	Common Prickly Pear Devil's Rope Drooping Prickly Pear Indian Fig Wheel Cactus	SA only	1.1 litres in 40 litres of water	Apply during Summer using a power sprayer when air temperature is above 30°C. Thoroughly cover all pad surfaces. Re – spray any regrowth that may occur.
Turf Couch & Hybrids of Couch only (Cynodon spp.)	Crab Grass/ Summergrass Paspalum	QLD & NSW only	6.6 litres/ha in 300 litres of water. Split application of 3.3 litres/ha in 300 litres of water, applied 7 – 10 days apart will reduce phytotoxicity.	DO NOT apply to Bent, QLD Blue Couch (<i>Digitaria spp.</i>), Fescue, Blue Grass, Kikuyu or Dichandra lawns or turf as severe damage or death to the turf can occur. While some yellowing is expected, this can be kept to a minimum by splitting the application to two applications 7 – 10 days apart. Weeds should be sprayed when young and actively growing. A repeat application in 14 days may be necessary. Avoid using at high temperatures as this may increase phytotoxicity. DO NOT mow for 4 days before or after application and DO NOT water for at least 2 days after application.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

THIS PRODUCT IS TOO HAZARDOUS TO BE RECOMMENDED FOR USE IN THE HOME GARDEN.

WITHHOLDING PERIOD: DO NOT GRAZE OR CUT FOR STOCKFEED FOR 5 WEEKS AFTER APPLICATION

Name of File:
 65558_51286_leaflet_MPL_V1.pdf

Dimensions:
 36 cm (W) x 46.2 cm (H)

Scale of Print:
 A4 55%
 A3 80%