



# EMERGENCY PROCEDURE GUIDE – TRANSPORT

## IERG 17

HAZARD		IDENTIFICATION	
Class Symbol		Trade Name:	<b>Methylate 225 Insecticide</b>
<b>Primary</b>  <b>3</b> Flammable Liquid	<b>Subsidiary</b>  <b>6.1</b> Toxic Substance	Shipping Name:	Carbamate pesticides, liquid, flammable, toxic, flashpoint less than 23°C
		UN Number:	<b>2758</b>
		HAZCHEM :	<b>3WE</b>
		Physical Description:	<b>Clear, colorless liquid</b>
		Company: ( product registrant )	<b>Hextar Chemicals Pty Ltd</b> 28 Tillotson Terrace, Armadale, VIC 3143. Tel 04 0214 9346
EMERGENCY CONTACTS			
For all emergencies 000 Fire Brigade or Police		Poisons Information Centre <b>131 126</b> (24 hours)	
HAZARDS			
<b>Fire or Explosion</b>	Material is highly flammable. There is a moderate risk of explosion if commercial quantities are involved in a fire. Fire or heat will produce irritating, poisonous and/or corrosive gases. Product containers' will explode if excessively heated. Runoff will pollute waterways / drains and is extremely toxic.		
<b>Health</b>	Inhalation, ingestion or contact with substance may be harmful. Fire will produce irritating, corrosive or toxic gases. Vapours may cause dizziness or suffocation.		
<b>Protective Clothing</b>	<b>Emergency services:</b> Wear SCBA and Structural fire-fighter's uniform. <b>Minimum protective clothing for handling product:</b> Liquid-proof overalls buttoned to neck and wrist with washable hat, elbow length PVC gloves and impervious footwear and goggles.		
PUBLIC SAFETY			
<b>For all Emergencies</b>	<b>ELIMINATE</b> all ignition sources (incl. no smoking, spark sources, flames etc) within 15m of spill Spill or leak area should be isolated immediately for at least 50 m in all directions. Keep unauthorised personnel and those without appropriate protective clothing away. Keep upwind and to higher ground. Ventilate enclosed spaces before entering. CONTACT POLICE / FIRE BRIGADE with product details, UN No., quantity and accident details'. <b>Refer MSDS for this product for more detailed information.</b>		
<b>Evacuation</b>	<b>Large spill:</b> Consider initial downwind evacuation for at least 100 m with appropriate signage.		
EMERGENCY RESPONSE			
<b>Fire</b>	<b>Small fire</b> Use dry chemical, CO <sub>2</sub> , or alcohol-resistant foam. <b>Large fire</b> Use alcohol-resistant foam. If safe to do so move undamaged containers' from immediate fire area Cool containers with flooding quantities of water until well after fire is out. Water spray may be used to contain or divert vapour clouds.		
<b>Spill or Leak</b>	DO NOT touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if safe to do so - prevent entry into waterways, drains or confined areas.  DO NOT wash product or rinse away down drains or water courses. <b>SEEK EXPERT ADVICE ON HANDLING AND DISPOSAL.</b>		
<b>First Aid</b>	Remove victim to fresh air. Apply resuscitation if victim is not breathing but <b>DO NOT use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.</b> Administer oxygen if breathing is difficult. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin and eyes with running water for at least 15 minutes.  If swallowed, <b>DO NOT</b> induce vomiting. Rinse mouth thoroughly with water and seek immediate medical attention. Keep victim warm and quiet. Obtain immediate medical care. Ensure attending medical personnel are aware of the identity and nature of the product(s) involved, and take precautions to protect themselves.  <b>CONTACT POISONS INFORMATION CENTRE FOR FURTHER ADVICE (In Australia Dial 131 126</b> <b>Refer MSDS for this product for more detailed information.</b>		